

EASY CRIMPING, EASY WIN



Harmonious development for the future

ISO9001

WENZHOU HEWLEE TOOLS CO., LTD ADD:NO.33 BADA ROAD, LINYANG DISTRICT, NANBIN STREET, RUIAN CITY, ZHEJIANG PROVINCE, 325200, CHINA Tel:+86-577-65597652 Whatsapp:+86 19588069282 E-mail:hewleetool@gmail.com,sales@hewlee.com Http://www.hewlee.com



Catalog

Company Profile		02
-----------------	--	----

Battery Crimping Tool ----- 03

Battery Cable Cutter ----- 09

Battery Pressing Tool ----- 17

Electric Plug Crimping Tool Gun Type ------ 21

Electric Plug Crimping Tool Table Type ------ 27

Company Profile



Wenzhou HEWLEE Tools Co., Ltd. is a factory specializing in the development and sales of electric hydraulic tools, established in 2014. The products mainly involve battery hydraulic crimping tool, battery cable cutters, battery pressing tool, battery nut splitters and plug-in hydraulic tools, which are used in electric power and plumbing . We provide our customers with ideal solutions in terms of product innovation and specialized applications. Our products are sold in Southeast Asia, Europe, North America and other countries, the company has always adhered to the "quality of life, reputation as a pillar, and strive to create an international brand" guidelines. We are constantly striving to make "HEWLEE" brand full of globalization.



BATTERY POWERED CRIMPING TOOL

SERIES







• 360° flip-top latch crimping head, working atany	Model
site	
• Pistol type tool body design for better balance and	Output Force
easy handing	Stroke:
• Double Piston pump and powerful motor ensure	Crimping rar
quick crimp	Dattanut
• Automatically fully retract ram and stop motor	Battery:
when complete crimp	Charging tim
 Manually retract ram in case of need 	Voltage of ch
lacets Li-ion battery with high capacity and require short	Crimping die
charging time	
• A temperature sensor makes the tool stop working	
The conference of the cost stop working	

automatically when the temperture over 60° under

long time working

Machine wei Packing:

odel	HL-300B
tput Force:	60KN
oke:	17mm
mping range:	CU10-300mm ²
ttery:	18v DC 5.0Ah Li-ion
arging time:	Approx. 2 hours
tage of charger:	110-240V AC
mping dies:	10,16,25,35,50,70,95,120,150,
	185,240,300mm ²
chine weight:	4.0KG
cking:	Plastic Case

ш

Π

HEW

BATTERY POWERED CRIMPING TOOL

www.hewlee.com



Li-ion battery with high capacity

HL-400B

BATTERY POWERED CRIMPING TOOL

White LED illuminate work area

Ergonomic design for one hand operation

Trigger switch

- Good design cooling system can effectively prevent motor overheating
- One button operation is easy to use, automatic pressure relief
- Battery upgrade to 5.0AH, two batteries can work in turn
- Special suitcase is clean and tidy inside, it is easy to carry
- The dies are made of high strength alloy steel, after heat treatment, it is durable and beautiful
- Easy to carry by hand and tidy inside

Model	HL-400B
Output Force:	120KN
Stroke:	42mm
Crimping Range:	CU16-400mm ²
Battery:	18V DC 5.0Ah Li-ion
Charging time:	Approx. 2 hours
Voltage of charger:	110-240V AC
Crimping dies:	16,25,35,50,70,95,120,150,185,
	240,300,400mm ²
Machine weight:	6.2KG
Packing:	Plastic Case

LITHIUM-ION

18V 5.0Ah

HEWLEE

- H Type rotated head for easy dies installation and flexibole operation
- Good design cooling system can effectively prevent motor overheating
- One button operation is easy to use, automatic Crimping R
 pressure relief
 Battery*
- Battery upgrade to 5.0 AH, two batteries can work in turn
- Special suitcase is clean and tidy inside, it is easy to carry
- The dies are made of high strength alloy steel,after heat treatment,it is durable and beautiful



HL-630B

BATTERY POWERED

CRIMPING TOOL

Head rotates 360°

Manual retract button

Low battery charges or

lackingperssure,an acoustic signal sounds

and LED flash

Ergonomic design for one hand operation



Output Ford Stroke: Crimping Ra Battery: Charging tin Voltage of c Crimping di Machine we

Packing:

05



Head rotates 360°



	HL-630B
ce:	200KN
	63mm
ange:	CU25-630mm ²
	18V DC 5.0Ah Li-ion
me:	Approx. 2 hours
harger:	110-240V AC
ies:	25,35,50,70,95,120,150,185,
	240,300,400, 500,630mm ²
eight:	8.3KG
	Plastic Case

LL

EW

Η



- Battery upgrade to 5.0 AH, two batteries can work in turn
- Special suitcase is clean and tidy inside, it is easy to carry
- The dies are made of high strength alloy steel, after heat treatment, it is durable and beautiful

Model	HZT-300
Output Force:	50KN
Stroke:	17mm
Crimping Range:	CU10-300mm ²
Battery:	18V DC 4.0Ah Li-ion
Charging time:	Approx. 0.5 hours
/oltage of charger:	110-240V AC
Crimping dies:	10,16,25,35,50,70,95,120,150,
	185,240,300mm ²
Machine weight:	3.26KG
Packing:	Plastic Case

- Charging time • Automatically fully retract ram and stop motor when complete crimp Voltage of cha • LED illuminate work area & low battery charges **Crimping dies** or lacking pressure, an acoustic signal sounds and led flash
- Li-ion battery with high capacity and require Machine weig short charging time Packing:

	HZT-300C
	42KN
	25mm
ge:	Max φ30mm(Cu/Al cable,ACSR,wire rope)
	18V DC 2.0Ah Li-ion
:	Approx. 2 hours
rger:	110-240V AC
:	10,16,25,35,50,70,95,120,150,185,240,300 mm ²
ht:	2.58kgs(Excluding head and battery)
	Plastic Case



BATTERY POWERED CRIMPING TOOL

HL-50X Battery Powered Crimping Tool



CW-1632 Manual Crimping Tool



 Powerful drive technology for fatigue proof operations

Charging time:

Approx. 1.5 hours

09

www.hewlee.com



	CW-1632
ce:	60KN
	16mm
ge:	Мах ф16-32mm
	580mm
veight:	6300g
s weight:	6500g
	230*80*610mm
	Tool steel
	Plastic Case

Package:

Ш

Η

HL-60UNV

BATTERY POWERED

CRIMPING TOOL

White LED illuminate work area

Ergonomic design for one hand operation

Trigger switch

www.hewlee.com

• C-shape head can be rotate 360° to adapt to different working situations • Good design cooling system can effectively prevent motor overheating

• One button operation is easy to use, automatic pressure relief

Li-ion battery with high capacity

- Battery upgrade to 5.0AH, two batteries can work in turn
- Special suitcase is clean and tidy inside, it is easy to carry
- The dies are made of high strength alloy steel after heat treatment, it is durable and beautiful
- Easy to carry by hand and tidy inside

	mouci	
ly	Output Force:	60KN
	Stroke:	42mm
ic	Cutting range:	MaxФ40mm Cu/AL cable
·k	Battery:	18V DC 5.0Ah Li-ion
I.	Charging time:	Approx. 2 hours
sy.	Voltage of charger:	110-240V AC
	Crimping dies:	10-300mm ²
l,	Machine weight:	13KG
	Packing:	Plastic Case

HI-60UNV

5.0Ah

Model

	Φ40ι
Adapter	Арр

Adapter **Application:For crimping**



steel punching



HEWLER

Head rotates 360°

Manual retract button

Low battery charges

or lackingperssure,an

acoustic signal sounds

and LED flash

MULTI-FUNCTIONAL

CRIMPING, CUTTING AND PUNCHING WITH ONE SINGLE TOOL

- Cu compression cable lugs and compression
- Al compression cable lugs and compression

Application: For cutting

)mm Cu/Al cable and Armored cable

plication:For punching

22.5-61.5mm Round dies.for 3.5 mm mild

沙 HEWLE m

HL-300PRO

BATTERY POWERED

CRIMPING TOOL

White LED illuminate work area

Ergonomic design for one hand operation

Li-ion battery with high capacity

Trigger switch

BATTERY POWERED CRIMPING TOOL

www.hewlee.com

13

- 360° flip-top latch crimping head, working atany site • Pistol type tool body design for better balance and easy handing
 - Double Piston pump and powerful motor ensure quick crimp
 - Automatically fully retract ram and stop motor when complete crimp
 - Manually retract ram in case of need
 - Li-ion battery with high capacity and require short charging time
 - A temperature sensor makes the tool stop working automatically when the temperture over 60° under long time working

Model	HL-3
Output Force:	60KN
Stroke:	17mm
Crimping range:	CU10-3
Battery:	18v DC
Charging time:	Approx
Voltage of charger:	110-24
Crimping dies:	10,16,2
	185,240
Machine weight:	4.0KG
Packing:	Plastic

18V 5.0Ah

HEWLEE



• C-shape head can be rotate 360° to adapt to different working situations

CRIMPING TOOL

- Good design cooling system can effectively prevent motor overheating
- One button operation is easy to use, automatic pressure relief
- Battery upgrade to 5.0AH, two batteries can work in turn
- Special suitcase is clean and tidy inside, it is easy to carry
- The dies are made of high strength alloy steel, after heat treatment, it is durable and beautiful
- Easy to carry by hand and tidy inside
- Model **Output Force** Stroke: **Crimping Ra** Battery: **Charging tim** Voltage of ch **Crimping die**







Head rotates 360°

Manual retract button

Low battery charges or lackingperssure,an acoustic signal sounds and LED flash

	HL-400B
2:	120KN
	42mm
nge:	CU16-400mm ²
	18V DC 5.0Ah Li-ion
e:	Approx. 2 hours
arger:	110-240V AC
s:	16,25,35,50,70,95,120,150,185,
	240,300,400mm ²
ght:	6.2KG
	Plastic Case

īΠ

EW

Η

BATTERY POWERED CABLE CUTTER

SERIES

HL-30B BATTERY POWERED CABLE CUTTER



- The tool is equipped with a double piston pump which characterized with a fast approach towards the connecting material
- and transfer to high pressure automatically by slow crimping
- If a deviation from the set operation pressure or low battery charges is identified, an acoustic signal sounds and a red display flashes.
- One key control-press the trigger to start
- working, half loosing the trigger means stop forcing pressure, loosing fully means piston
 return to the original position

Model

Output Force: Stroke: Crimping Ran Battery:

Charging time

- Voltage of cha
- Machine weigl

Packing:



HEWLEE





Head rotates 360°



Low battery charges or lackingperssure,an acoustic signal sounds and LED flash

HL-30B
60KN
21mm
MaxΦ30mm(Cu/AL cable, ACSR)
18V DC 5.OAh Li-ion
90min
110-240V AC
4.0KG
Plastic Case

BATTERY POWERED CABLE CUTTER

www.hewlee.com

HL-45B



HL-55B BATTERY POWERED CABLE CUTTER



Replaceable Blade, easy to replace

Model	HL-55B
Output Force:	120KN
Stroke:	50mm
Crimping Range:	maxΦ55mm Cu/Al cable
Battery:	18v DC5.0Ah Li-ion
Charging time:	90min
Voltage of charger:	110-240V AC
Machine weight:	6.72KG
Packing:	Plastic Case

HL-85B BATTERY POWERED CABLE CUTTER



Pin, For locking the cutting head

Model	HL-85B
Output Force:	60KN
Stroke:	85mm
Crimping Range:	maxΦ70mm Cu/Al cable
Battery:	18v DC5.0Ah Li-ion
Charging time:	90min
Voltage of charger:	110-240V AC
Machine weight:	7.96KG
Packing:	Plastic Case

- 360° flip-top latch crimping head, working atany site
- Pistol type tool body design for better balance and easy handing
- Double Piston pump and powerful motor ensure quick crimp
- Automatically fully retract ram and stop motor when complete crimp
- Manually retract ram in case of need
- Li-ion battery with high capacity and require short charging time
- A temperature sensor makes the tool stop working automatically when the temperture over 60° under long time working

Model	HL-45B
Output Force:	60KN
Stroke:	45mm
Crimping Range:	maxФ45mm Cu/Al cable
Battery:	18v DC5.0Ah Li-ion
Charging time:	90min
Voltage of charger:	110-240V AC
Machine weight:	5.5KG
Packing:	Plastic Case

Off

230 V







BATTERY POWERED CABLE CUTTER

ш

LL

Η









Off 230 V

18V 5.0A

HL-105B

OPENED TYPE BATTERY POWERED CABLE CUTTER



• Scissors type, cable directly into the scissors mouth, no need to open and close tools

MODEL	HL-105B
Output Force:	250KN
Stroke:	45mm
Crimping Range:	MaxΦ105mm Cu/Al cable
Battery:	18v DC5.0Ah Li-ion
Charging time:	90min
Voltage of charger:	110-240V AC
Machine weight:	9.35KG
Packing:	Plastic Case

HL-120B BATTERY RATCHET CABLE CUTTER

Both blades are identical and easy to replace

MODEL	HL-120B
Output Force:	250KN
Stroke:	62mm
Crimping Range:	MaxΦ110mm Cu/Al cable
Battery:	18v DC5.0Ah Li-ion
Charging time:	90min
Voltage of charger:	110-240V AC
Machine weight:	12.22KG
Packing:	Plastic Case

• Pir МО Out Stro Crin Batt Cha

Machine weight:

Packing:

Volt Мас Pack

n, For locking the cutting head		
DEL	HL-85B	
put Force:	120KN	
ke:	45mm	
nping Range:	МахФ85mm Cu/Al ca	
tery:	18v DC5.0Ah Li-ion	
rging time:	90min	
age of charger:	110-240V AC	
chine weight:	6.86KG	
king:	Plastic Case	

5.7KG

Plastic Case



BATTERY POWERED CABLE CUTTER

www.hewlee.com



C

230 V

Off



BATTERY POWERED CABLE CUTTER

HEWLEE

- Copper-aluminum cable and ACSR cable can be cut off • The blade is made of alloy steel, after forging and special heat treatment, it can withstand long
 - time of strenuous work • Reasonable structure, light weight , labor-saving, easy to carry and operate.

- Large cutting range, light weight, easy to operate
- Ergonomic handle fits the curve of the hand for comfortable grip. It is easy to operate with switch on the handle.

MODEL	HL-50M
Crimping Range	Max Φ50mm for Cu/Al cable
	Max 800sqmm for ACSR;
	Max 100sqmm for Prestressed steel wire
Battery:	18v DC4.0Ah Li-ion
Charging time:	1.5 hour
Voltage of charger:	110-240V AC
Cutting/charge:	80-100 times
Packing:	Plastic Case

- Turn-over type 360° degree breaking cutting head Electric control and breaking operation monitoring Soft packing ergonomic double component plastic
- shell, single hand operation, comfortable and safe Automatic return reset stop(ARS) is used for positioning control in multiple operations
- lacets Automatically return to reset after completion of operation(manual return to reset if necessary)
- High strength durable switch key, continuous opening and closing of durable test switch for ten s • of thousands of times before leaving the factory
- Battery: Charging t Voltage of Machine we Packing:

MODEL

Output For

Crimping F

Stroke:





Low battery charges or lackingperssure, an acoustic signal sounds and LED flash

ł	 	
1		
LITHIUM-ION		
.0Ah		

HL-MM36
120KN
32mm
M8-M24:Long blade head M8-M14
Mid blade head M14-M20
Short blade head M18-M24
18V DC 5.0Ah Li-ion
2 hour
110-240V AC
6.5KG
Plastic Case

 $\overline{\mathbf{M}}$ Ш

Η

BATTERY PIPE CRIMPING TOOL

SERIES







White LED illuminate work area	
Trigger switch	



- Rotatable head design for easy pipe insertion, dies installation and also flexible operation in confined place • Interchangeable dies ensure precise crimping
- for different pipes • Powerful motor for quick and efficient
- crimping
- High-performance li-ionbattery with high • capacity and require short charging time Auto-retract function on for safe and precise
- crimping
- Make dies retract with ram once complete • crimping
- Pressure canhold even if release switch ,allow operator stop to check or adjust at any time
- during operation
 Pistol type tool body design for better balance
- and easy handling bu hand
 Plastic case package for easy carrying and well tools protection

Model

- **Output Force Pressing Ran**
- Battery:
- **Charging tim**
- Voltage of ch
- Machine wei
- Packing:



Head rotates 360°

	HL-1550B
e:	42KN
nge:	steel pipe,Copper pipe,PEX-
	pipe,XPAP,Multilayer pipe
	18V DC 5.0Ah Li-ion
ne:	2 hours
arger:	110-240V AC
ght:	4.0KG
	Plastic Case

ĪT

Η



WHEWLE

In

Packing:

Plastic Box







15-54mmsteel pipe,Copper pipe, PEX,pipe,XPAP,Multilayer pipe 4.0KG **Plastic Box**

Packing:

PLUG CRIMPING TOOL

Q series



₩H**E**₩





- Unique patented design, plug-in use. 360° flip-top latch crimping head, working atany site
- Fast speed, automatic oil return.

HL-400Q

ELECTRIC CRIMPING TOOL

- Adopt low-power high-voltage DC motor, which is more energy-saving and environmentally friendly, with larger output power.
- Lower noise, lighter weight, and easier to carry and work than traditional series-connected motors.
- Over-current protection function, when the machine is blocked or short-circuited, it will automatically cut off the power.

Model

Voltage: Output Fo Stroke: **Crimping** Crimping d

Machine w Packing:



	HL-400Q
	220V
rce:	120KN
4	42mm
Range:	CU16-400mm ²
dies:	16,25,35,50,70,95,120,150,
	185,240,300,400mm ²
veight:	6.4KG
	Plastic Case



- Unique patented design, plug-in use.
 360° flip-top latch crimping head, working atany site
- Fast speed, automatic oil return.

HL-300Q

ELECTRIC CRIMPING TOOL

- Adopt low-power high-voltage DC motor, which is more energy-saving and environmentally friendly, with larger output power.
- Lower noise, lighter weight, and easier to carry and work than traditional series-connected motors.
- Over-current protection function, when the machine is blocked or short-circuited, it will automatically cut off the power.

Model	HL-300Q
Voltage:	220V
Output Force:	60KN
Stroke:	17mm
Crimping Range:	CU10-300mm ²
Crimping dies:	10,16,25,35,50,70,95,120,
	150,185,240,300mm ²
Machine weight:	4.2KG
Packing:	Plastic Case

- Unique patented design, plug-in use.
 360° flip-top latch crimping head, working atany site
- Fast speed, automatic oil return.

HL-45Q

ELECTRIC CABLE

CUTTER

- Adopt low-power high-voltage DC motor, which is more energy-saving and environmentally friendly, with larger output power.
- Lower noise, lighter weight, and easier to carry and work than traditional series-connected motors.
- Over-current protection function, when the machine is blocked or short-circuited, it will automatically cut off the power.

- Model
- Voltage:
- **Output For**
- Stroke:
- Crimping C
- Machine we

Packing:



Head rotates 360°

Manual retract button





	HL-45Q
	220V
ce:	60KN
	45mm
utting:	MaxФ45mm Cu/Al cable
eight:	5.7KG
	Plastic Case





- Unique patented design, plug-in use. 360° flip-top latch crimping head, working atany site
- Fast speed, automatic oil return.
- Adopt low-power high-voltage DC motor, which is more energy-saving and environmentally friendly, with larger output power.
- Lower noise, lighter weight, and easier to carry and work than traditional series-connected motors.
- Over-current protection function, when the machine is blocked or short-circuited, it will automatically cut off the power.

Model	HL-1550Q
	2221
Voltage:	220V
Output Force:	60KN
Stroke:	45mm
Crimping Range:	CU15-50mm
Crimping dies:	15, 20, 25, 32, 40, 50mm
Machine weight:	4.25KG
Packing:	Plastic Case

- Unique patented design, plug-in use. 360° flip-top latch crimping head, working atany site
- Fast speed, automatic oil return.
- Adopt low-power high-voltage DC motor, which is more energy-saving and environmentally friendly, with larger output power.
- Lower noise, lighter weight, and easier to carry and work than traditional series-connected motors.
- Over-current protection function, when the machine is blocked or short-circuited, it will automatically cut off the power.

Model

Voltage:

- **Output For** Stroke: Crimping **R**
- Crimping C

Crimping d

Machine w Packing:



	HZT-25Q
	220V
ce:	60KN
	40mm
ange:	CU10-300mm ²
utting:	Max ф30mm(Cu/Al cable)
ies:	10,16,25,35,50,70,95,120,150,
	185,240,300mm ²
eight:	3.66KG
	Plastic Case

PLUG CRIMPING TOOL

Q series

HEWLEE







- Unique patented design, plug-in use. 360° flip-top latch crimping head, working atany site
- Fast speed, automatic oil return.
- Adopt low-power high-voltage DC motor, which is more energy-saving and environmentally friendly, with larger output power.
- Lower noise, lighter weight, and easier to carry and work than traditional series-connected motors.
- Over-current protection function, when the machine is blocked or short-circuited, it will automatically cut off the power.

Model

Voltage: **Output Fo** Stroke: Crimping Crimping dies: Machine v

Packing:

	HL-400T
	220V
orce:	120KN
	42mm
Range:	CU16-400mm ²
	16,25,35,50,70,95,120,150,
	185,240,300,400mm ²
weight:	6.7KG
	Plastic Case

H





ELECTRIC CRIMPING TOOL

- www.hewlee.com
- Unique patented design, plug-in use. 360° flip-top latch crimping head, working atany site
- Fast speed, automatic oil return.
- Adopt low-power high-voltage DC motor, which is more energy-saving and environmentally friendly, with larger output power.
- Lower noise, lighter weight, and easier to carry and work than traditional series-connected motors.
- Over-current protection function, when the machine is blocked or short-circuited, it will automatically cut off the power.

Model	HL-300T
Voltage:	220V
Output Force:	60KN
Stroke:	17mm
Crimping Range:	CU10-300mm ²
Crimping dies:	10,16,25,35,50,70,95,120,
	150,185,240,300mm ²
Machine weight:	4.45KG
Packing:	Plastic Case

- Unique patented design, plug-in use. 360° flip-top latch crimping head, working atany site
- Fast speed, automatic oil return.
- Adopt low-power high-voltage DC motor, which is more energy-saving and environmentally friendly, with larger output power.
- Lower noise, lighter weight, and easier to carry and work than traditional series-connected motors.
- Over-current protection function, when the machine is blocked or short-circuited, it will automatically cut off the power.

Voltage:

Model

- **Output For**
- Stroke:
- **Crimping C**
- Machine we

Packing:

	HL-45T
	220V
ce:	60KN
	45mm
utting:	MaxФ45mm Cu/Al cable
eight:	5.75KG
	Plastic Case

ELECTRIC CABLE CUTTER

ELECTRIC PIPE PRESS TOOL

HL-1550T ELECTRIC PIPE PRESS TOOL

HZT-25T ELECTRIC PIPE PRESS TOOL



www.hewlee.com

	HZT-25T
	220V
ce:	60KN
	40mm
ange:	CU10-300mm ²
utting:	Max ф30mm(Cu/Al cable)
ies:	10,16,25,35,50,70,95,120,150,
	185,240,300mm ²
eight:	3.76KG
	Plastic Case

Packing:

ELECTRIC PIPE PRESS TOOL

LL

Η