




瑞安市和力工具有限公司
RUJIAN HEWLEE TOOLS CO.,LTD

浙江省温州市乐清市海林球工业园八进路5号
电话: 0577-85591652
手机: 13889957777
E-Mail: sales@hewlee.com


Add: No. 58 Bada Road, Linyang District, Nanxin Street,
Ruian City, Zhejiang Province, 325200, China
Tel: +86-577-85591652
Mob: +86-1388995777

<http://www.hewlee.com>



Battery Powered Hydraulic Tool

和力工具 开启新电动时代




公司简介

瑞安市和力工具有限公司是一家专业从事研制和销售充电动液压工具的厂家。产品主要涉及充电动液压钳、充电动液压剪、充电动扳手等。我们设计、制造和销售的产品广泛应用于电力、铁路、造船、钢铁、石油、化工、航空、机械等领域。我们在产品创新和专业应用方面为全球客户提供最佳的解决方案。

本公司始终坚持以“质量求生存，信誉促发展，力争国际品牌”的指导思想，不断奋发努力，让和力工具“HEWLEE”品牌享誉全球。真诚地希望更多的国内外朋友认识、谋求平等互利的贸易合作，共同促进世界经济繁荣发展。

COMPANY PROFILE

HEWLEE was established as a professional manufacturer of hydraulic battery operated tools which include hydraulic battery crimping tool, hydraulic battery cutting tool, hydraulic battery pipe tools, and more.

We are not only dedicated to supply top quality hydraulic battery operated tools to professionals, but also willing to satisfy customers by working with them to develop innovative solutions.

HEWLEE produces strictly according to the International Quality Control System, holding the operation policy of "based on quality prestige is the highest, serve the first", and believing in the saying that "what customers need is what our aim". Welcome domestic and international customers come and search for cooperation.

Battery Powered Hydraulic Tool

图例详解 INTRODUCTION



- 360° 自由旋转头部
Head rotates 360°
- 手动复位按钮
Manual reset button
- 白色LED灯在工作区域照明
White LED light illuminates work area
- 操作开关
Switch (push/locking motor)
- 人体工程学设计适用于单手操作模式
Ergonomic design for one-hand operation
- 电池电量不足或堵塞时发出提示音，机器会发出蜂鸣声以及LED闪烁提醒
Low battery charges or locking pressure an acoustic signal sounds and LED flash
- 高性能锂电池
Li-ion battery with high capacity





HL-300 充电式液压钳

BATTERY POWERED CRIMPING TOOL

产品特点

- 360° 自由旋转翻折型头，适用于多角度的应用场合
- 人体工程学设计适用于单手操作，握持更方便
- 高强度压板机构和强有力的电机保证快速压缩
- 自动操作完成后自动复位
- 在压缩过程中锁死，可通过手动复位将活塞退回至原位
- 白色LED灯对操作区域的照明，以及电池没电和机械无压力时，机械会发出警告声以及LED闪烁报警
- 高性能锂电池以及快速充电底座
- 机械连续工作达到600度时，温度传感器保护工具不被损坏

Features:

- 360° flip-top latch rotary crimping head, working at any site
- Ergo type tool body design for better balance and easy handling
- Double piston pump and powerful motor ensure quick crimp
- Automatically fully retract ram and stop motor when completed
- Manually retract ram in case of need
- LED illuminate work area & low battery charges or locking pressure an acoustic signal sounds and led flash
- Li-ion battery with high capacity and require short charging time
- Temperature sensor makes the tool stop working automatically when the temperature over 60°C under long time working



产品标准配置

- 压接工具1套
- 锂电池1个
- 充电器1个
- 充电器充电器充电器
- 说明书1个
- 塑料箱1个



Model 型号	HL-300
Output Force出力	600N
Shoulder行程	17mm
Crimping Range压接范围	CU 10-300mm ²
Battery电池	18V DC 4.0Ah Li-ion
Charging time充电时间	2hours
Voltage of charger充电器电压	110-240V AC
Crimping die模具	10,16,25,35,50,70,95,120,150,185,240,300mm ²
Standard accessories	Crimping tool 1pc Crimping dies 12sets Shoulder strap 1pc Plastic case 1pc

C03



HL-400 充电式液压钳

BATTERY POWERED CRIMPING TOOL

产品特点

- 360° 自由旋转翻折型头，压缩角度大取出更方便
- 人体工程学设计适用于单手操作，握持更方便
- 高强度压板机构和强有力的电机保证快速压缩
- 自动操作完成时自动复位
- 在压缩过程中锁死，可通过手动复位将活塞退回至原位
- 白色LED灯对操作区域的照明，以及电池没电和机械无压力时，机械会发出警告声以及LED闪烁报警
- 高性能锂电池以及快速充电底座
- 机械连续工作达到600度时，温度传感器保护工具不被损坏

Features:

- 360° rotary with c-shape head cable can be directly placed between dies
- Ergo type tool body design for better balance and easy handling
- Double piston pump and powerful motor ensure quick crimp
- Wide crimping, automatically fully retract ram and stop motor when completed
- Manually retract ram in case of need
- LED illuminate work area & low battery charges or locking pressure an acoustic signal sounds and led flash
- Li-ion battery with high capacity and require short charging time
- Temperature sensor makes the tool stop working automatically when the temperature over 60°C under long time working



产品标准配置

- 压接工具1套
- 锂电池1个
- 充电器1个
- 充电器充电器充电器
- 说明书1个
- 塑料箱1个



Model 型号	HL-400
Output Force出力	1200N
Shoulder行程	42mm
Crimping Range压接范围	CU 16-400mm ²
Battery电池	18V DC 4.0Ah Li-ion
Charging time充电时间	2hours
Voltage of charger充电器电压	110-240V AC
Crimping die模具	16,25,35,50,70,95,120,150,185,240,300,400mm ²
Standard accessories	Crimping tool 1pc Crimping dies 12sets Battery 2pcs Charger 1pc Shoulder strap 1pc Plastic case 1pc

C04



HL-45 充电式线缆剪

BATTERY POWERED CABLE CUTTER

产品特点

- 360° 自由旋转翻折型剪刃，方便快速取出与取出
- 人体工程学设计适用于单手操作，握持更方便
- 高强度压板机构和强有力的电机保证快速剪切
- 自动操作完成时自动复位
- 在剪切过程中锁死，可通过手动复位将活塞退回至原位
- 白色LED灯对操作区域的照明，以及电池没电和机械无压力时，机械会发出警告声以及LED闪烁报警
- 高性能锂电池以及快速充电底座
- 机械连续工作达到600度时，温度传感器保护工具不被损坏

Features:

- 360° pin-locked rotary cutting head, easily opened if remove locking pin
- Ergo type tool body design for better balance and easy handling
- Double piston pump and powerful motor ensure quick cutting
- Automatically fully retract ram and stop motor when completed
- Manually retract ram in case of need
- LED illuminate work area & low battery charges or locking pressure an acoustic signal sounds and led flash
- Li-ion battery with high capacity and require short charging time
- Temperature sensor makes the tool stop working automatically when the temperature over 60°C under long time working



产品标准配置

- 剪线工具1套
- 锂电池1个
- 充电器1个
- 充电器充电器充电器
- 说明书1个
- 塑料箱1个



Model 型号	HL-45
Output Force出力	600N
Shoulder行程	50mm
Cutting Range剪线范围	Max Φ-85mm(Cu/Al cable,ACSR wire rope)
Battery电池	18V DC 4.0Ah Li-ion
Charging time充电时间	2hours
Voltage of charger充电器电压	110-240V AC
Standard accessories	Cutting tool 1pc Battery 2pcs Charger 1pc
产品标准配置	Shoulder strap 1pc Plastic case 1pc

C05



HL-85 充电式线缆剪

BATTERY POWERED CABLE CUTTER

产品特点

- 360° 自由旋转翻折型剪刃，方便快速取出与取出
- 人体工程学设计适用于单手操作，握持更方便
- 高强度压板机构和强有力的电机保证快速剪切
- 自动操作完成时自动复位
- 在剪切过程中锁死，可通过手动复位将活塞退回至原位
- 白色LED灯对操作区域的照明，以及电池没电和机械无压力时，机械会发出警告声以及LED闪烁报警
- 高性能锂电池以及快速充电底座
- 机械连续工作达到600度时，温度传感器保护工具不被损坏

Features:

- 360° pin-locked rotary cutting head, easily opened if remove locking pin
- Ergo type tool body design for better balance and easy handling
- Double piston pump and powerful motor ensure quick cutting
- Automatically fully retract ram and stop motor when completed
- Manually retract ram in case of need
- LED illuminate work area & low battery charges or locking pressure an acoustic signal sounds and led flash
- Li-ion battery with high capacity and require short charging time
- Temperature sensor makes the tool stop working automatically when the temperature over 60°C under long time working



产品标准配置

- 剪线工具1套
- 锂电池1个
- 充电器1个
- 充电器充电器充电器
- 说明书1个
- 塑料箱1个



Model 型号	HL-85
Output Force出力	600N
Shoulder行程	180mm
Cutting Range剪线范围	Max Φ-85mm(Cu/Al cable,ACSR wire rope)
Battery电池	18V DC 4.0Ah Li-ion
Charging time充电时间	2hours
Voltage of charger充电器电压	110-240V AC
Standard accessories	Cutting tool 1pc Battery 2pcs Charger 1pc
产品标准配置	Shoulder strap 1pc Plastic case 1pc

C06



HL-300/45 充电式压接剪切二合一工具

BATTERY POWERED CRIMPING AND CUTTING TOOL

产品特点

- 360°自由旋转开型把头，适用于多角度的应用场合
- 人体工程学设计适用于单手操作，更轻巧更方便
- 双活塞泵和强有力的电机保证快速压接
- 压接操作完成后自动定位
- 在压接过程中随时，可通过手感定位再次调整压接位置
- 白色LED灯对操作区域的照明，以及电池没电和机盖无压力时，机盖发出警告声以及LED闪烁报警
- 高容量锂电池以及快速充电装置
- 机械液体工作达到60度时，温度传感器保护工具不继续运转

Features:

- 360° flip-top latch rotary head, crimping head and cutting head can be replaced
- When replace the head, please to wait the piston return the bottom then replace the head
- Piston type tool body design for better balance and easy handling
- Double piston pump and powerful motor ensure quick crimp or cutting
- Automatically fully retract ram and stop motor when complete crimp or cutting
- Manually retract ram in case of need
- LED illuminate work area & low battery charges or locking pressure an acoustic signal sounds and led flash
- Li-ion battery with high capacity and require short charging time
- A temperature sensor makes the tool stop working automatically when the temperature over 60°C under long time working



Model 型号	HL-300/45
Output Force出力	600N
Stroke行程	50mm
Crimping Range压接范围	CJ 10-300mm ²
Cutting Range剪切范围	Max. Ø 40mm (Cu/Al cable, AC/FR wire, rope)
Battery电压	18V DC 4.0Ah Li-ion
Charging time充电时间	2hours
Voltage of charge充电器电压	110-240V AC
Crimping die模具	10,16,23,35,50,70,95,120,150,185,240,300mm ²
Standard accessories 产品标准配置	Cutting tool 1pc, Crimping head 1pc, Crimping die 12sets, Battery 2pcs, Charger 1pc, Shoulder strap 1pc, Plastic case 1pc

产品标准配置

- 压接头1个
- 模具12付
- 锂电池2个
- 充电器1个
- 背带1根
- 塑料箱1个



C17



HL-24 充电式螺帽破切器

BATTERY POWERED NUT SPLITTER

产品特点

- 360°自由旋转头，适用于多角度的应用场合
- 人体工程学设计适用于单手操作，更轻巧更方便
- 双活塞泵和强有力的电机保证快速破切
- 压接操作完成后自动定位
- 在压接过程中随时，可通过手感定位再次调整压接位置
- 白色LED灯对操作区域的照明，以及电池没电和机盖无压力时，机盖发出警告声以及LED闪烁报警
- 高容量锂电池以及快速充电装置
- 机械液体工作达到60度时，温度传感器保护工具不继续运转

Features:

- 360° rotary head working at any site
- Piston type tool body design for better balance and easy handling
- Double piston pump and powerful motor ensure quick cutting
- Automatically fully retract ram and stop motor when complete cutting
- Manually retract ram in case of need
- LED illuminate work area & low battery charges or locking pressure an acoustic signal sounds and led flash
- Li-ion battery with high capacity and require short charging time
- A temperature sensor makes the tool stop working automatically when the temperature over 60°C under long time working



产品标准配置

- 破切工具1个
- 锂电池2个
- 充电器1个
- 背带1根
- 塑料箱1个



Model 型号	HL-24
Output Force出力	1000N
Stroke行程	60mm
Cutting Range破切范围	M8-M24
Battery电压	18V DC 4.0Ah Li-ion
Charging time充电时间	2hours
Voltage of charge充电器电压	110-240V AC
Standard accessories 产品标准配置	Shoulder strap 1pc, Battery 2pcs, Charger 1pc, Plastic case 1pc

C18



HL-1632 充电式液压管钳

BATTERY POWERED PIPE CRIMPING TOOL

产品特点

- 360°自由旋转开型把头，适用于多角度的应用场合
- 人体工程学设计适用于单手操作，更轻巧更方便
- 双活塞泵和强有力的电机保证快速压接
- 压接操作完成后自动定位
- 在压接过程中随时，可通过手感定位再次调整压接位置
- 白色LED灯对操作区域的照明，以及电池没电和机盖无压力时，机盖发出警告声以及LED闪烁报警
- 高容量锂电池以及快速充电装置
- 机械液体工作达到60度时，温度传感器保护工具不继续运转

Features:

- 360° flip-top latch rotary crimping head, working at any site
- Piston type tool body design for better balance and easy handling
- Double piston pump and powerful motor ensure quick crimp
- Automatically fully retract ram and stop motor when complete crimp
- Manually retract ram in case of need
- LED illuminate work area & low battery charges or locking pressure an acoustic signal sounds and led flash
- Li-ion battery with high capacity and require short charging time
- A temperature sensor makes the tool stop working automatically when the temperature over 60°C under long time working



Model 型号	HL-1632
Output Force出力	600N
Stroke行程	13mm
Battery电压	18V DC 4.0Ah Li-ion
Charging time充电时间	2hours
Voltage of charge充电器电压	110-240V AC
Crimping die模具	3,6,8,10,12,16,20
Ti profile	16,20,25,32
U profile	16,20,25,32
St profile	15,20,25
Standard accessories 产品标准配置	Crimping tool 1pc, Battery 2pcs, Charger 1pc, Shoulder strap 1pc, Plastic case 1pc

产品标准配置

- 压接头1个
- 锂电池2个
- 充电器1个
- 背带1根
- 塑料箱1个



C19



HL-1550 充电式液压管钳

BATTERY POWERED PIPE CRIMPING TOOL

产品特点

- 360°自由旋转开型把头，适用于多角度的应用场合
- 人体工程学设计适用于单手操作，更轻巧更方便
- 双活塞泵和强有力的电机保证快速压接
- 压接操作完成后自动定位
- 在压接过程中随时，可通过手感定位再次调整压接位置
- 白色LED灯对操作区域的照明，以及电池没电和机盖无压力时，机盖发出警告声以及LED闪烁报警
- 高容量锂电池以及快速充电装置
- 机械液体工作达到60度时，温度传感器保护工具不继续运转

Features:

- 360° rotary type of rotary head, working at any site
- Piston type tool body design for better balance and easy handling
- Double piston pump and powerful motor ensure quick crimp
- Automatically fully retract ram and stop motor when complete crimp
- Manually retract ram in case of need
- LED illuminate work area & low battery charges or locking pressure an acoustic signal sounds and led flash
- Li-ion battery with high capacity and require short charging time
- A temperature sensor makes the tool stop working automatically when the temperature over 60°C under long time working



产品标准配置

- 压接头1个
- 锂电池2个
- 充电器1个
- 背带1根
- 塑料箱1个



Model 型号	HL-1550
Output Force出力	600N
Stroke行程	20mm
Battery电压	18V DC 4.0Ah Li-ion
Charging time充电时间	2hours
Voltage of charge充电器电压	110-240V AC
Crimping die模具	3,6,8,10,12,16,20
Ti profile	16,20,25,32
U profile	16,20,25,32
St profile	15,20,25,32,40,50
Standard accessories 产品标准配置	Crimping tool 1pc, Battery 2pcs, Charger 1pc, Shoulder strap 1pc, Plastic case 1pc

C20

Battery Powered Hydraulic Tool

图例详解 INTRODUCTION



Battery Powered Hydraulic Tool

图例详解 INTRODUCTION



HL-300B 充电式液压钳



产品特点

- ▲ 360°自由旋转翻开型钳头，可用于多角度的应用场合
- ▲ 人体工学设计适用于单手操作，更轻巧更方便
- ▲ 双活塞系统和强有力的电机保证快速压接
- ▲ 压接操作完成后自动复位
- ▲ 在压接过程出错时，可通过手动复位将活塞退回至原位
- ▲ 白色LED对操作空间的照明，以及电池没电和机器无压力时，机器会发出警报声以及LED闪烁报警
- ▲ 高性能锂电池以及快速充电装置
- ▲ 机器连续工作达到60分钟时，温度传感器保护工具不被烧坏

Features:

- ▲ 360° flip-top latch crimping head, working at any site.
- ▲ Pistol type tool body design for better balance and easy handling.
- ▲ Double piston pump and powerful motor ensure quick crimp.
- ▲ Automatically fully retract ram and stop motor when complete crimp.
- ▲ Manually retract ram in case of need.
- ▲ LED illuminate work area & low battery charges or lacking pressure, an acoustic signal sounds and led flash.
- ▲ Li-ion battery with high capacity and require short charging time.
- ▲ A temperature sensor makes the tool stop working automatically. When the temperature over 60°C under long time working.



Model 型号	HL-300B
Output Force出力:	690N
Stroke行程:	17mm
Crimping Range压接范围:	CU10-300mm ²
Battery电池:	18V DC 4.0Ah Li-ion
Charging time充电时间:	2hours
Voltage of charger充电器电压:	110-240V AC
Crimping die模具:	10,16,25,35,50,70,95,120,150,180,240,300mm ²
Standard accessories:	Crimping tool 1pc Crimping die 32sets
产品标准配置:	Battery 2pcs Charger 1pc Shoulder strap 1pc Plastic case 1pc

产品标准配置	OLED显示屏: 显示电压、温度、次数、 压力以及机器效率显示。
▲ 压接工具1台	正在运行 电压: 18.4V 温度: 25°C 压力: 62MPa
▲ 模具12付	
▲ 锂电池2个	
▲ 充电器1个	
▲ 背带1根	
▲ 塑料箱1个	

HL-400B 充电式液压钳



产品特点

- ▲ 360°自由旋转C型钳头，压接管放入取出更方便
- ▲ 人体工学设计适用于单手操作，更轻巧更方便
- ▲ 双活塞系统和强有力的电机保证快速压接
- ▲ 无压力时，机器会发出警报声以及LED闪烁报警
- ▲ 在压接过程出错时，可通过手动复位将活塞退回至原位
- ▲ 白色LED对操作空间的照明以及电池没电和机器无压力时，机器会发出警报声以及LED闪烁报警
- ▲ 高性能锂电池以及快速充电装置
- ▲ 机器连续工作达到60分钟时，温度传感器保护工具不被烧坏

Features:

- ▲ 360° rotary with c-shape head, cable can be directly placed between dies.
- ▲ Pistol type tool body design for better balance and easy handling.
- ▲ Double piston pump and powerful motor ensure quick crimp. Wide crimping, automatically fully retract ram and stop motor. When complete crimp.
- ▲ Manually retract ram in case of need.
- ▲ LED illuminate work area & low battery charges or lacking pressure, an acoustic signal sounds and led flash.
- ▲ Li-ion battery with high capacity and require short charging time.
- ▲ A temperature sensor makes the tool stop working automatically. When the temperature over 60°C under long time working.



Model 型号	HL-400B
Output Force出力:	1200N
Stroke行程:	42mm
Crimping Range压接范围:	CU16-400mm ²
Battery电池:	18V DC 4.0Ah Li-ion
Charging time充电时间:	2hours
Voltage of charger充电器电压:	110-240V AC
Crimping die模具:	16,25,35,50,70,95,120,150,180,240,300,400mm ²
Standard accessories:	Crimping tool 1pc Crimping die 12sets
产品标准配置:	Battery 2pcs Charger 1pc Shoulder strap 1pc Plastic case 1pc

产品标准配置	OLED显示屏: 显示电压、温度、次数、 压力以及机器效率显示。
▲ 压接工具1台	正在运行 电压: 18.4V 温度: 25°C 压力: 70MPa
▲ 模具12付	
▲ 锂电池2个	
▲ 充电器1个	
▲ 背带1根	
▲ 塑料箱1个	

HL-45B 充电式线缆剪 BATTERY POWERED CABLE CUTTER



产品特点

- ▲ 360°自由旋转翻开型剪头,方便电缆放进与取出
- ▲ 人体工学设计适用于单手操作,更轻巧更方便
- ▲ 双级液压系统和强有力的电机保证快速剪切
- ▲ 剪切操作完成后自动复位
- ▲ 在剪切过程出错时,可通过手动复位将活塞退回至原位
- ▲ 白色LED灯对操作空间的照明,以及电池没电和机器无压力时,机器会发出警示声以及LED闪烁报警
- ▲ 高性能锂电池以及快速充电装置
- ▲ 机器连续工作达到60度时,温度传感器保护工具不被损坏

Features:

- ▲ 360° pin-locked rotary cutting head, easily opened if remove locking pin
- ▲ Pistol type tool body design for better balance and easy handling
- ▲ Double piston pump and powerful motor ensure quick cutting
- ▲ Automatically fully retract ram and stop motor when complete cut
- ▲ Manually retract ram in case of need
- ▲ LED illuminate work area & low battery charges or lacking pressure, an acoustic signal sounds and led flash
- ▲ Li-ion battery with high capacity and require short charging time
- ▲ Temperature sensor makes the tool stop working automatically when the temperature over 60°C under long time working



Model 型号	HL-45B
Output Force出力:	60KN
Stroke行程:	50mm
Crimping Range剪切范围:	Max φ45mm (Cu/Al cable, ACSF, wire rope)
Battery电池:	18V DC 4.0Ah Li-ion
Charging time充电时间:	90minutes
Voltage of charger充电电压:	110-240V AC
Standard accessories:	Cutting tool 1pc Battery 2pcs Charger 1pc
产品标准配置:	Shoulder strap 1pc Plastic case 1pc

产品标准配置

- ▲ 剪切工具1台
- ▲ 锂电池2个
- ▲ 充电器1个
- ▲ 肩带1根
- ▲ 塑料箱1个

OLED显示屏: 显示电压、温度、次数、压力以及材料硬度提示

正在运行
压力: 62MPa
次数: 1000

HL-85B 充电式线缆剪 BATTERY POWERED CABLE CUTTER



产品特点

- ▲ 360°自由旋转翻开型剪头,方便电缆放进与取出
- ▲ 人体工学设计适用于单手操作,更轻巧更方便
- ▲ 双级液压系统和强有力的电机保证快速剪切
- ▲ 剪切操作完成后自动复位
- ▲ 在剪切过程出错时,可通过手动复位将活塞退回至原位
- ▲ 白色LED灯对操作空间的照明,以及电池没电和机器无压力时,机器会发出警示声以及LED闪烁报警
- ▲ 高性能锂电池以及快速充电装置
- ▲ 机器连续工作达到60度时,温度传感器保护工具不被损坏

Features:

- ▲ 360° pin-locked rotary cutting head, easily opened if remove locking pin
- ▲ Pistol type tool body design for better balance and easy handling
- ▲ Double piston pump and powerful motor ensure quick cutting
- ▲ Automatically fully retract ram and stop motor when complete cut
- ▲ Manually retract ram in case of need
- ▲ LED illuminate work area & low battery charges or lacking pressure, an acoustic signal sounds and led flash
- ▲ Li-ion battery with high capacity and require short charging time
- ▲ Temperature sensor makes the tool stop working automatically when the temperature over 60°C under long time working



Model 型号	HL-85B
Output Force出力:	80KN
Stroke行程:	80mm
Crimping Range剪切范围:	Max φ85mm (Cu/Al cable, ACSF, wire rope)
Battery电池:	18V DC 4.0Ah Li-ion
Charging time充电时间:	90minutes
Voltage of charger充电电压:	110-240V AC
Standard accessories:	Cutting tool 1pc Battery 2pcs Charger 1pc
产品标准配置:	Shoulder strap 1pc Plastic case 1pc

产品标准配置

- ▲ 剪切工具1台
- ▲ 锂电池2个
- ▲ 充电器1个
- ▲ 肩带1根
- ▲ 塑料箱1个

OLED显示屏: 显示电压、温度、次数、压力以及材料硬度提示

正在运行
压力: 62MPa
次数: 1000

剪刀式充电式线缆剪 BATTERY POWERED CABLE CUTTER



产品特点

- ▲ 360°自由旋转翻开型剪头,方便电缆放进与取出
- ▲ 人体工学设计适用于单手操作,更轻巧更方便
- ▲ 双级液压系统和强有力的电机保证快速剪切
- ▲ 剪切操作完成后自动复位
- ▲ 在剪切过程出错时,可通过手动复位将活塞退回至原位
- ▲ 白色LED灯对操作空间的照明,以及电池没电和机器无压力时,机器会发出警示声以及LED闪烁报警
- ▲ 高性能锂电池以及快速充电装置
- ▲ 机器连续工作达到60度时,温度传感器保护工具不被损坏

Features:

- ▲ 360° pin-locked rotary cutting head, easily opened if remove locking pin
- ▲ Pistol type tool body design for better balance and easy handling
- ▲ Double piston pump and powerful motor ensure quick cutting
- ▲ Automatically fully retract ram and stop motor when complete cut
- ▲ Manually retract ram in case of need
- ▲ LED illuminate work area & low battery charges or lacking pressure, an acoustic signal sounds and led flash
- ▲ Li-ion battery with high capacity and require short charging time
- ▲ Temperature sensor makes the tool stop working automatically when the temperature over 60°C under long time working



Model 型号	HL-65/HL-85/HL-105
Output Force出力:	60KN/80KN/120KN
Stroke行程:	40mm
Cu/Al cable剪切范围:	Maxφ45mm/85mm/125mm
ACSR绞线剪切范围:	Maxφ45mm/85mm/85mm
Battery电池:	DC 18V 4.0Ah Li-ion
Charging time充电时间:	90minutes
Voltage of charger充电电压:	110-240V AC
Standard accessories:	Cutting tool 1pc Battery 2pcs Charger 1pc
产品标准配置:	Shoulder strap 1pc Plastic case 1pc

产品标准配置

- ▲ 剪切工具1台
- ▲ 锂电池2个
- ▲ 充电器1个
- ▲ 肩带1根
- ▲ 塑料箱1个

OLED显示屏: 显示电压、温度、次数、压力以及材料硬度提示

正在运行
压力: 70MPa
次数: 1000

HL-MM36B 充电式螺帽破切器 BATTERY POWERED NUT SPLITTER



产品特点

- ▲ 360°自由旋转剪头,适用于多角度的应用场合
- ▲ 人体工学设计适用于单手操作,更轻巧更方便
- ▲ 双级液压系统和强有力的电机保证快速破切
- ▲ 剪切操作完成后自动复位
- ▲ 在剪切过程出错时,可通过手动复位将活塞退回至原位
- ▲ 白色LED灯对操作空间的照明,以及电池没电和机器无压力时,机器会发出警示声以及LED闪烁报警
- ▲ 高性能锂电池以及快速充电装置
- ▲ 机器连续工作达到60度时,温度传感器保护工具不被损坏

Features:

- ▲ 360° rotary head, working at any site
- ▲ Pistol type tool body design for better balance and easy handling
- ▲ Double piston pump and powerful motor ensure quick cutting
- ▲ Automatically fully retract ram and stop motor when complete cutting
- ▲ Manually retract ram in case of need
- ▲ LED illuminate work area & low battery charges or lacking pressure, an acoustic signal sounds and led flash
- ▲ Li-ion battery with high capacity and require short charging time
- ▲ Temperature sensor makes the tool stop working automatically when the temperature over 60°C under long time working



Model 型号	HL-MM36B
Output Force出力:	120KN
Stroke行程:	30mm
Crimping Range剪切范围:	M8-M24
Battery电池:	18V DC 4.0Ah Li-ion
Charging time充电时间:	90minutes
Voltage of charger充电电压:	110-240V AC
Standard accessories:	Nut Splitter 1pc Battery 2pcs Charger 1pc
产品标准配置:	Shoulder strap 1pc Plastic case 1pc

产品标准配置

- ▲ 剪切工具1台
- ▲ 锂电池2个
- ▲ 充电器1个
- ▲ 肩带1根
- ▲ 塑料箱1个

OLED显示屏: 显示电压、温度、次数、压力以及材料硬度提示

正在运行
压力: 70MPa
次数: 1000

剪刀式充电式线缆剪

BATTERY POWERED CABLE CUTTER



产品特点

- ▲ 360°自由旋转剪刀式剪头,方便电缆进与取出
- ▲ 人体工学设计适用于单手操作,更轻巧更方便
- ▲ 双液泵系统和强有力的电机保证快速剪切
- ▲ 剪切操作完成后自动复位
- ▲ 在剪切过程中,可通过手动复位将活塞退回至原位
- ▲ 白色LED灯对操作空间的照明,以及电池没电和机器无压力时,机器会发出报警声以及LED闪烁报警
- ▲ 高性能锂电池以及快速充电装置
- ▲ 机器连续工作达到60分钟时,温度传感器保护工具不被烧坏

Features:

- ▲ 360° pin-locked rotary cutting head, easily opened if remove locking pin
- ▲ Pistol type tool body design for better balance and easy handling
- ▲ Double piston pump and powerful motor ensure quick cutting
- ▲ Automatically fully retract ram and stop motor when complete cut
- ▲ Manually retract ram in case of need
- ▲ LED illuminate work area & low battery charges or lacking pressure, an acoustic signal sounds and led flash
- ▲ Li-ion battery with high capacity and require short charging time
- ▲ Temperature sensor makes the tool stop working automatically when the temperature over 60°C under long time working



Model 型号	HL-65/HL-85/HL-105
Output Force出力:	60KN/60KN/120KN
Stroke行程:	40mm
CU/Al cable线规格:	Maxφ45mm/φ5mm/105mm
ACS线缆规格:	Maxφ45mm/φ5mm/85mm
Battery电池:	DC 18V 4.0Ah Li-ion
Charging time充电时间:	90minutes
Voltage of charger充电器电压:	110-240V AC
Standard accessories:	Cutting tool:1pc Battery:2pcs Charger:1pc
产品标准配置:	Shoulder strap:1pc Plastic case:1pc



产品标准配置

- ▲ 剪刀工具1台
- ▲ 锂电池2个
- ▲ 充电器1个
- ▲ 背带1根
- ▲ 塑料箱1个

OLED显示屏:
显示电压、温度、次数、压力以及报警蜂鸣提示

正在运行
电压:70MPa
0.8mm

HL-MM36B充电式螺帽破切器

BATTERY POWERED NUT SPLITTER



产品特点

- ▲ 360°自由旋转剪头, 可适用于多角度的应用场合
- ▲ 人体工学设计适用于单手操作, 更轻巧更方便
- ▲ 双液泵系统和强有力的电机保证快速破切
- ▲ 剪切操作完成后自动复位
- ▲ 在剪切过程中, 可通过手动复位将活塞退回至原位
- ▲ 白色LED灯对操作空间的照明, 以及电池没电和机器无压力时, 机器会发出报警声以及LED闪烁报警
- ▲ 高性能锂电池以及快速充电装置
- ▲ 机器连续工作达到60分钟时, 温度传感器保护工具不被烧坏

Features:

- ▲ 360° rotary head, working at any site
- ▲ Pistol type tool body design for better balance and easy handling
- ▲ Double piston pump and powerful motor ensure quick cutting
- ▲ Automatically fully retract ram and stop motor when complete cutting
- ▲ Manually retract ram in case of need
- ▲ LED illuminate work area & low battery charges or lacking pressure, an acoustic signal sounds and led flash
- ▲ Li-ion battery with high capacity and require short charging time
- ▲ Temperature sensor makes the tool stop working automatically when the temperature over 60°C under long time working



Model 型号	HL-MM36B
Output Force出力:	120KN
Stroke行程:	38mm
Crimping Range破切范围:	M8-M24
Battery电池:	18V DC 4.0Ah Li-ion
Charging time充电时间:	90minutes
Voltage of charger充电器电压:	110-240V AC
Standard accessories:	Nut Splitter:1pc Battery:2pcs Charger:1pc
产品标准配置:	Shoulder strap:1pc Plastic case:1pc



产品标准配置

- ▲ 破切工具1台
- ▲ 锂电池2个
- ▲ 充电器1个
- ▲ 背带1根
- ▲ 塑料箱1个

OLED显示屏:
显示电压、温度、次数、压力以及报警蜂鸣提示

正在运行
电压:110V
0.8mm

HL-1550B充电式液压压管钳

BATTERY POWERED PIPE CRIMPING TOOL



产品特点


- ▲ 360°自由旋转剪刀式剪头, 可适用于多角度的应用场合
- ▲ 人体工学设计适用于单手操作, 更轻巧更方便
- ▲ 双液泵系统和强有力的电机保证快速压接
- ▲ 剪切操作完成后自动复位
- ▲ 在压接过程中, 可通过手动复位将活塞退回至原位
- ▲ 白色LED灯对操作空间的照明, 以及电池没电和机器无压力时, 机器会发出报警声以及LED闪烁报警
- ▲ 高性能锂电池以及快速充电装置
- ▲ 机器连续工作达到60分钟时, 温度传感器保护工具不被烧坏

Features:

- ▲ 360° scissors type of rotary head, working at any site.
- ▲ Pistol type tool body design for better balance and easy handling
- ▲ Double piston pump and powerful motor ensure quick cutting
- ▲ Automatically fully retract ram and stop motor when complete cut
- ▲ Manually retract ram in case of need
- ▲ LED illuminate work area & low battery charges or lacking pressure, an acoustic signal sounds and led flash
- ▲ Li-ion battery with high capacity and require short charging time
- ▲ Temperature sensor makes the tool stop working automatically when the temperature over 60°C under long time working



Model 型号	HL-1550B
Output Force出力:	60KN
Stroke行程:	28mm
Battery电池:	DC 18V 4.0Ah Li-ion
Charging time充电时间:	90minutes
Voltage of charger充电器电压:	110-240V AC
Option crimping die模具:	3sets(T1,U,S,V)
T1 profile:	16.20 26 32
U profile:	16.20 25 32
SV profile:	15.20 25 32 40 50
Standard accessories:	Crimping tool:1pc Battery:2pcs Charger:1pc
产品标准配置:	Shoulder strap:1pc Plastic case:1pc



产品标准配置

- ▲ 破切工具1台
- ▲ 锂电池2个
- ▲ 充电器1个
- ▲ 背带1根
- ▲ 塑料箱1个

OLED显示屏:
显示电压、温度、次数、压力以及报警蜂鸣提示

正在运行
电压:62MPa
0.8mm

HL-1632充电式液压压管钳

BATTERY POWERED PIPE CRIMPING TOOL




产品特点

- ▲ 360°自由旋转剪刀式剪头, 可适用于多角度的应用场合
- ▲ 人体工学设计适用于单手操作, 更轻巧更方便
- ▲ 双液泵系统和强有力的电机保证快速压接
- ▲ 剪切操作完成后自动复位
- ▲ 在压接过程中, 可通过手动复位将活塞退回至原位
- ▲ 白色LED灯对操作空间的照明, 以及电池没电和机器无压力时, 机器会发出报警声以及LED闪烁报警
- ▲ 高性能锂电池以及快速充电装置
- ▲ 机器连续工作达到60分钟时, 温度传感器保护工具不被烧坏

Features:

- ▲ 360° scissors type of rotary head, working at any site.
- ▲ Pistol type tool body design for better balance and easy handling
- ▲ Double piston pump and powerful motor ensure quick cutting
- ▲ Automatically fully retract ram and stop motor when complete cut
- ▲ Manually retract ram in case of need
- ▲ LED illuminate work area & low battery charges or lacking pressure, an acoustic signal sounds and led flash
- ▲ Li-ion battery with high capacity and require short charging time
- ▲ Temperature sensor makes the tool stop working automatically when the temperature over 60°C under long time working



产品标准配置

- ▲ 破切工具1台
- ▲ 锂电池2个
- ▲ 充电器1个
- ▲ 背带1根
- ▲ 塑料箱1个

Model 型号	HL-1632
Output Force出力:	32KN
Stroke行程:	40mm
Battery电池:	DC 18V 2.0Ah Li-ion
Charging time充电时间:	1hours
Voltage of charger充电器电压:	110-240V AC
Option crimping die模具:	3sets(T1,U,S,V)
T1 profile:	16.20 26 32
U profile:	16.20 25 32
SV profile:	15.20 25 32 40 50
Standard accessories:	Crimping tool:1pc Battery:2pcs Charger:1pc
产品标准配置:	Shoulder strap:1pc Plastic case:1pc

OLED显示屏:
显示电压、温度、次数、压力以及报警蜂鸣提示

HL-300B 充电式液压钳

BATTERY POWERED CRIMPING TOOL

Model 型号	HL-300B
Output Force出力:	600N
Stroke行程:	17mm
Crimping Range压接范围:	CU10-300mm ²
Battery电池:	18V DC 4.0Ah Li-Ion
Charging time充电时间:	2hours
Voltage of charger充电器电压:	110-240V AC
Crimping die模具:	10,16,25,35,50,70,95,120,150,185,240,300mm
Standard accessories:	Crimping tool:1pc Crimping dies:12sets
产品标准配置:	Battery:2pcs Charger:1pc Shoulder strap:1pc Plastic case:1pc



HL-400B 充电式液压钳

BATTERY POWERED CRIMPING TOOL

Model 型号	HL-400B
Output Force出力:	1200N
Stroke行程:	42mm
Crimping Range压接范围:	CU16-400mm ²
Battery电池:	18V DC 4.0Ah Li-Ion
Charging time充电时间:	2hours
Voltage of charger充电器电压:	110-240V AC
Crimping die模具:	16,25,35,50,70,95,120,150,185,240,300,400mm
Standard accessories:	Crimping tool:1pc Crimping dies:12sets
产品标准配置:	Battery:2pcs Charger:1pc Shoulder strap:1pc Plastic case:1pc



HL-45B 充电式线缆剪

BATTERY POWERED CABLE CUTTER

Model 型号	HL-45B
Output Force出力:	600N
Stroke行程:	50mm
Crimping Range剪切范围:	Max Ø45mm (Cu/Al cable, ACSF, wire rope)
Battery电池:	18V DC 4.0Ah Li-Ion
Charging time充电时间:	90minutes
Voltage of charger充电器电压:	110-240V AC
Standard accessories:	Cutting tool:1pc Battery:2pcs Charger:1pc
产品标准配置:	Shoulder strap:1pc Plastic case:1pc



HL-85B 充电式线缆剪

BATTERY POWERED CABLE CUTTER

Model 型号	HL-85B
Output Force出力:	600N
Stroke行程:	80mm
Crimping Range剪切范围:	Max Ø60mm (Cu/Al cable, ACSF, wire rope)
Battery电池:	18V DC 4.0Ah Li-Ion
Charging time充电时间:	90minutes
Voltage of charger充电器电压:	110-240V AC
Standard accessories:	Cutting tool:1pc Battery:2pcs Charger:1pc
产品标准配置:	Shoulder strap:1pc Plastic case:1pc

